U.S. Department of Housing and Urban Development
451 Seventh Street, SW
Washington, DC 20410
www.hud.gov
espanol.hud.gov

Environmental Review for Activity/Project that is Categorically Excluded Subject to Section 58.5

Pursuant to 24 CFR 58.35(a)

Project Information

Project Name: Peters-Clark-Road-Tyner-KY

HEROS Number: 900000010435342

Start Date: 10/30/2024

Responsible Entity (RE): KENTUCKY HOUSING CORPORATION, 1231 Louisville Rd Frankfort KY, 40601

State / Local Identifier: KY

RE Preparer: Jennifer Oberlin

Certifying Officer: Winston E. Miller

Grant Recipient (if different than Responsible Entity):

Point of Contact:

Point of Contact:
Consultant (if applicable):

40 CFR 1506.5(b)(4): The lead agency or, where appropriate, a cooperating agency shall prepare a disclosure statement for the contractor's execution specifying that the contractor has no financial or other interest in the outcome of the action. Such statement need not include privileged or confidential trade secrets or other confidential business information.

- ✓ By checking this box, I attest that as a preparer, I have no financial or other interest in the outcome of the undertaking assessed in this environmental review.

Project Location: Clark Road, Tyner, KY 40486

Additional Location Information:
The location does not yet have a 911 address. That will only be assigned when the foundation is completed. The latitude and logiude are 37.393387, -83.901882 to the center of the house seat.

Direct Comments to: Winston Miller, Executive Director, Kentucky Housing Corporation, 1231 Louisville Road, Frankfort, KY 40601. Comments may also be submitted via email to environmentalreview@kyhousing.org.

Description of the Proposed Project [24 CFR 50.12 & 58.32; 40 CFR 1508.25]:

The proposed project is the new construction of a single-family home at Clark Road, Tyner, Jackson County, KY. The household name is Jeremy Peters and Jennifer Clark. We (KMHDC) are the developer and we will utilize the KHC approved Donna house plan and building specifications for construction. The lot is located in an area that is sparsely populated but does have other homes in the area and the lot constitutes 0.79 acres and has been previously used to harvest straw, hay, and crop production. It has been regularly mowed. There will be minimal ground disturbance for sewer and water lines. The project will involve acquisition of the site.

Maps, photographs, and other documentation of project location and description:
Plat Map(1).pdf
IMG_3907.jpg
IMG_3906.jpg
IMG_3905.jpg
IMG_3904.jpg

Level of Environmental Review Determination:
Categorically Excluded per 24 CFR 58.35(a), and subject to laws and authorities at 58.5:

Determination:

	This categorically excluded activity/project converts to **EXEMPT** per Section 58.34(a)(12), because it does not require any mitigation for compliance with any listed statutes or authorities, nor requires any formal permit or license; **Funds may be committed and drawn down after certification of this part** for this (now) EXEMPT project; OR
✓	This categorically excluded activity/project cannot convert to Exempt status because one or more statutes or authorities listed at Section 58.5 requires formal consultation or mitigation. Complete consultation/mitigation protocol requirements, **publish NOI/RROF and obtain "Authority to Use Grant Funds"** (HUD 7015.16) per Section 58.70 and 58.71 before committing or drawing down any funds; OR
	This project is not categorically excluded OR, if originally categorically excluded, is now subject to a full Environmental Assessment according to Part 58 Subpart E due to extraordinary circumstances (Section 58.35(c)).

Approval Documents:
PetersClarkRd_SigPage_Signed.pdf

7015.15 certified by Certifying Officer on:

7015.16 certified by Authorizing Officer on:

Funding Information

Grant / Project Identification Number	HUD Program	Program Name	Funding Amount
HB21-0103-61	Community Planning and Development (CPD)	HOME Program	$100,000.00

Estimated Total HUD Funded, Assisted or Insured Amount: $100,000.00

Estimated Total Project Cost: $165,000.00

Compliance with 24 CFR §50.4, §58.5 and §58.6 Laws and Authorities

Compliance Factors: Statutes, Executive Orders, and Regulations listed at 24 CFR §50.4, §58.5, and §58.6	Are formal compliance steps or mitigation required?	Compliance determination (See Appendix A for source determinations)
STATUTES, EXECUTIVE ORDERS, AND REGULATIONS LISTED AT 24 CFR §50.4 & § 58.6		
Airport Hazards Clear Zones and Accident Potential Zones; 24 CFR Part 51 Subpart D	☐ Yes ☑ No	The project site is not within 15,000 feet of a military airport or 2,500 feet of a civilian airport. The project is in compliance with Airport Hazards requirements. Please see the attached Google Earth map. the nearest airport is the London/Corbin Airport and is more that 90,000 feet from the project site.
Coastal Barrier Resources Act Coastal Barrier Resources Act, as amended by the Coastal Barrier Improvement Act of 1990 [16 USC 3501]	☐ Yes ☑ No	This project is located in a state that does not contain CBRS units. Therefore, this project is in compliance with the Coastal Barrier Resources Act.
Flood Insurance Flood Disaster Protection Act of 1973 and National Flood Insurance Reform Act of 1994 [42 USC 4001-4128 and 42 USC 5154a]	☐ Yes ☑ No	The structure or insurable property is not located in a FEMA-designated Special Flood Hazard Area. While flood insurance may not be mandatory in this instance, HUD recommends that all insurable structures maintain flood insurance under the National Flood Insurance Program (NFIP). The project is in compliance with flood insurance requirements. Please see attached Standard Flood Hazard Determination Form.
STATUTES, EXECUTIVE ORDERS, AND REGULATIONS LISTED AT 24 CFR §50.4 & § 58.5		
Air Quality Clean Air Act, as amended, particularly section 176(c) & (d); 40 CFR Parts 6, 51, 93	☐ Yes ☑ No	Based on the project description, this project includes no activities that would require further evaluation under the Clean Air Act. The project is in compliance with the Clean Air Act. This homeownership development project is less than five dwelling units. Please see attached EPA report: "Criteria Pollutant Nonattainment Summary Report". KMHDC serves Clay, Jackson, and Owsley Counties, and the Red Bird

		area of Leslie and Bell Counties. Our service area is not identified among Kentucky's Nonattainment areas.
Coastal Zone Management Act Coastal Zone Management Act, sections 307(c) & (d)	☐ Yes ☑ No	This project is located in a state that does not participate in the Coastal Zone Management Program. Therefore, this project is in compliance with the Coastal Zone Management Act.
Contamination and Toxic Substances 24 CFR 50.3(i) & 58.5(i)(2)]	☑ Yes ☐ No	On-site or nearby toxic, hazardous, or radioactive substances were found that could affect the health and safety of project occupants or conflict with the intended use of the property. Radon analysis indicated elevated levels of radon or consideration of radon will occur following construction. Adverse environmental impacts can be mitigated. With mitigation, identified in the mitigation section of this review, the project will be in compliance with contamination and toxic substances requirements. Maps available were for the entire state and Jackson County (Site). The site is noted on the Jackson County Map. The legend is included and the opacity percentage is 50.
Endangered Species Act Endangered Species Act of 1973, particularly section 7; 50 CFR Part 402	☐ Yes ☑ No	This project will have No Effect on listed species based on a letter of understanding, memorandum of agreement, programmatic agreement, or checklist provided by local HUD office. This project is in compliance with the Endangered Species Act. This activity is governed by the 2023 - 2028 Categorical Consultation Agreement between Kentucky Housing Corporation and the Kentucky Field Office of the U.S. Fish and Wildlife Service for Certain HUD-Funded Projects. The covered activity is funding for construction of scattered-site homes, provided that the construction occurs on a "prepared homesite" which is a site that has been cleared of natural vegetation and filled and graded in the normal course of

		preparation for housing construction prior to and independent of a HUD-funded activity.
Explosive and Flammable Hazards Above-Ground Tanks)[24 CFR Part 51 Subpart C	☐ Yes ☑ No	There are no current or planned stationary aboveground storage containers of concern within 1 mile of the project site. The project is in compliance with explosive and flammable hazard requirements. There are several storage containers within a 1 mile radius of the project site almost all propane tanks. No propane tanks of a 1,000 gallon water volume were noted.. One item appears to be a tank from a an old piece of equipment and is empty and is no longer used. There is a gas pump kept on a property but is not hooked to a tank and is empty and disabled. (Antique collection). There are no planned stationary storage containers within 1 mile of the project site. The project is in compliance with explosive an flammable hazard requirements. Physically inspected tanks mentioned and spoke with owners. 2/3/25 Close ups of adjoining area to one mile radius included as requested. No problem tanks noted. View of general area did not indicate any industrial type tanks within view.
Farmlands Protection Farmland Protection Policy Act of 1981, particularly sections 1504(b) and 1541; 7 CFR Part 658	☐ Yes ☑ No	The project includes activities that could convert agricultural land to a non-agricultural use, but "prime farmland","unique farmland", or "farmland of statewide or local importance" regulated under the Farmland Protection Policy Act does not occur on the project site. The project is in compliance with the Farmland Protection Policy Act. The lot is located in an area already used for single family homes. The lot has been used in the past for hay and straw harvesting but is not prime farmland. See attached documents.

Floodplain Management Executive Order 11988, particularly section 2(a); 24 CFR Part 55	☐ Yes ☑ No	This project does not occur in the FFRMS floodplain. The project is in compliance with Executive Orders 11988 and 13690.
Historic Preservation National Historic Preservation Act of 1966, particularly sections 106 and 110; 36 CFR Part 800	☐ Yes ☑ No	Based on Section 106 consultation the project will have No Adverse Effect on historic properties. Conditions: None. Upon satisfactory implementation of the conditions, which should be monitored, the project is in compliance with Section 106.
Noise Abatement and Control Noise Control Act of 1972, as amended by the Quiet Communities Act of 1978; 24 CFR Part 51 Subpart B	☐ Yes ☑ No	The Preliminary Screening identified no noise generators in the vicinity of the project. The project is in compliance with HUD's Noise regulation. The project is 20 miles from both the nearest airport and nearest railroad. The only public roads within a 1000 foot radius with Road Data is KY 1071. There is no available road data for Ray Clark Hill Road or Blackwater Road. There are no stop signs within 600' See attached documents.
Sole Source Aquifers Safe Drinking Water Act of 1974, as amended, particularly section 1424(e); 40 CFR Part 149	☐ Yes ☑ No	The project is not located on a sole source aquifer area. The project is in compliance with Sole Source Aquifer requirements. There are no Sole Source Aquifers in the State of Kentucky (see attached documents)
Wetlands Protection Executive Order 11990, particularly sections 2 and 5	☐ Yes ☑ No	The project will not impact on- or off-site wetlands. The project is in compliance with Executive Order 11990. The nearest noted wetland is a riverine approximately ..19 miles from the proposed site. The site will not impact the riverine. (See attached document(s))
Wild and Scenic Rivers Act Wild and Scenic Rivers Act of 1968, particularly section 7(b) and (c)	☐ Yes ☑ No	This project is not within proximity of a NWSRS river. The project is in compliance with the Wild and Scenic Rivers Act. There is only one Wild & Scenic River in Kentucky; 19.4 miles of the Red River in Wolfe County. Per the attached map, our project site is more than 30 miles from the nearest portion of this Wild & Scenic River.

HUD HOUSING ENVIRONMENTAL STANDARDS		
ENVIRONMENTAL JUSTICE		
Environmental Justice Executive Order 12898	☐ Yes ☑ No	No adverse environmental impacts were identified in the project's total environmental review. The project is in compliance with Executive Order 12898.

Mitigation Measures and Conditions [40 CFR 1505.2(c)]:

Summarized below are all mitigation measures adopted by the Responsible Entity to reduce, avoid or eliminate adverse environmental impacts and to avoid non-compliance or non-conformance with the above-listed authorities and factors. These measures/conditions must be incorporated into project contracts, development agreements and other relevant documents. The staff responsible for implementing and monitoring mitigation measures should be clearly identified in the mitigation plan.

Law, Authority, or Factor	Mitigation Measure or Condition	Comments on Completed Measures	Mitigation Plan	Complete
Contamination and Toxic Substances	The University of Kentucky Geologically Based Indoor Radon Potential map shows that the project site is in the 4.0 picocuries per liter (pCi/L) zone, therefore post-construction radon testing is required. If post-construction radon testing document levels of 4.0 pCi/L or more, mitigation measures shall be installed by a National Radon Proficiency Program (NRPP)-certified professional according to the most current version of ANSI/AARST CCAH (American National Standards Institute/American Association of Radon Scientists and Technologists CCAH Reducing Radon in New Construction of 1 & 2 Family Dwellings and Townhouses). If testing shows	N/A		

	radon levels below 4.0 pCi/L, mitigation is not required.			

Project Mitigation Plan

If postconstruction testing documents that indoor radon levels exceed 4.0 picocuries per liter (pCi/L), mitigation measures will be installed by a National Radon Proficiency Program (NRPP)- certified professional. If testing shows radon levels below 4.0 pCi/L, mitigation is not required. A passive radon reduction venting system is required for all newly constructed single-family units. The radon vent pipe shall pass through a heated portion of the structure and an accessible attic space and chase which will allow adequate working space to possibly install an inline fan. Electrical provisions shall be roughed in, in an accessible attic or chase, for possible future installation of an inline fan. Radon testing must occur post construction but before occupancy. If post-construction testing documents that indoor radon levels exceed 4.0 picocuries per liter (pCi/L), mitigation measures will be installed by a National Radon Proficiency Program (NRPP)- certified professional. If testing shows radon levels below 4.0 pCi/L mitigation is not required. Darrell Kinnett, Highlands Housing Corporation Vice President over construction, will ensure compliance with these radon testings and mitigation (if applicable) requirements. Once testing and mitigation, if applicable, is complete and there is documentation that the indoor radon levels are below 4.0 pCi/L, send environmentalreview@kyhousing.org the following documentation as applicable. Once KHC has approved this documentation and emailed the developer a copy of the completed ERR and closing documents have been approved by HCA, then developers may schedule closing. Acceptable method to document testing completed by a certified radon measurement professional: * name of professional conducting mitigation, including NRPP Certification Number; * PDF of complete test results provided by the certified radon measurement professional; and * brief description of test results including date of test and indoor radon level measured in pCi/L. Acceptable method to document DIY testing must include the following: * the test device (type, name of certified laboratory analyzing test results); * the time period of testing; * the test conditions (HVAC system off, outside temperature, etc.); * PDF of complete test results provided by the certified laboratory; * brief description of test results, particularly indoor radon level measured in pCi/L; and * any other conditions relevant to test conditions. Acceptable method to document radon mitigation must include the following: * name of professional conducting mitigation, including NRPP Certification Number; * proof of completion (invoice documenting scope of work, date of completion, and cost of completion); * brief description of mitigation methods employed; and * ongoing radon monitoring and mitigation plan.

Supporting documentation on completed measures

APPENDIX A: Related Federal Laws and Authorities

Airport Hazards

General policy	Legislation	Regulation
It is HUD's policy to apply standards to prevent incompatible development around civil airports and military airfields.		24 CFR Part 51 Subpart D

1. To ensure compatible land use development, you must determine your site's proximity to civil and military airports. Is your project within 15,000 feet of a military airport or 2,500 feet of a civilian airport?

✓ **No**

Based on the response, the review is in compliance with this section. Document and upload the map showing that the site is not within the applicable distances to a military or civilian airport below

Yes

Screen Summary

Compliance Determination

The project site is not within 15,000 feet of a military airport or 2,500 feet of a civilian airport. The project is in compliance with Airport Hazards requirements. Please see the attached Google Earth map. the nearest airport is the London/Corbin Airport and is more that 90,000 feet from the project site.

Supporting documentation

Peters-Clark-Road-Tyner-KY Distance to nearest airport(1).pdf

Are formal compliance steps or mitigation required?

Yes

✓ No

Coastal Barrier Resources

General requirements	Legislation	Regulation
HUD financial assistance may not be used for most activities in units of the Coastal Barrier Resources System (CBRS). See 16 USC 3504 for limitations on federal expenditures affecting the CBRS.	Coastal Barrier Resources Act (CBRA) of 1982, as amended by the Coastal Barrier Improvement Act of 1990 (16 USC 3501)	

This project is located in a state that does not contain CBRA units. Therefore, this project is in compliance with the Coastal Barrier Resources Act.

Screen Summary

Compliance Determination

This project is located in a state that does not contain CBRS units. Therefore, this project is in compliance with the Coastal Barrier Resources Act.

Supporting documentation

Coastal Barriers Outline (1).pdf

Are formal compliance steps or mitigation required?

Yes

✓ No

Flood Insurance

General requirements	Legislation	Regulation
Certain types of federal financial assistance may not be used in floodplains unless the community participates in National Flood Insurance Program and flood insurance is both obtained and maintained.	Flood Disaster Protection Act of 1973 as amended (42 USC 4001-4128)	24 CFR 50.4(b)(1) and 24 CFR 58.6(a) and (b); 24 CFR 55.1(b).

1. Does this project involve financial assistance for construction, rehabilitation, or acquisition of a mobile home, building, or insurable personal property?

No. This project does not require flood insurance or is excepted from flood insurance.

✓ Yes

2. Upload a FEMA/FIRM map showing the site here:

Peters-Clark-Road- Tyner-KY_Floodplain Management(1).pdf
Standard Flood Hazard Determination Form(1).pdf

The Federal Emergency Management Agency (FEMA) designates floodplains. The FEMA Map Service Center provides this information in the form of FEMA Flood Insurance Rate Maps (FIRMs). For projects in areas not mapped by FEMA, use the best available information to determine floodplain information. Include documentation, including a discussion of why this is the best available information for the site. Provide FEMA/FIRM floodplain zone designation, panel number, and date within your documentation.

Is the structure, part of the structure, or insurable property located in a FEMA-designated Special Flood Hazard Area?

✓ No

Based on the response, the review is in compliance with this section.

Yes

4. While flood insurance is not mandatory for this project, HUD strongly recommends that all insurable structures maintain flood insurance under the National Flood Insurance

Program (NFIP). Will flood insurance be required as a mitigation measure or condition?

Yes

✓ No

Screen Summary

Compliance Determination

The structure or insurable property is not located in a FEMA-designated Special Flood Hazard Area. While flood insurance may not be mandatory in this instance, HUD recommends that all insurable structures maintain flood insurance under the National Flood Insurance Program (NFIP). The project is in compliance with flood insurance requirements. Please see attached Standard Flood Hazard Determination Form.

Supporting documentation

Standard Flood Hazard Determination Form.pdf

Are formal compliance steps or mitigation required?

Yes

✓ No

Air Quality

General requirements	Legislation	Regulation
The Clean Air Act is administered by the U.S. Environmental Protection Agency (EPA), which sets national standards on ambient pollutants. In addition, the Clean Air Act is administered by States, which must develop State Implementation Plans (SIPs) to regulate their state air quality. Projects funded by HUD must demonstrate that they conform to the appropriate SIP.	Clean Air Act (42 USC 7401 et seq.) as amended particularly Section 176(c) and (d) (42 USC 7506(c) and (d))	40 CFR Parts 6, 51 and 93

1. Does your project include new construction or conversion of land use facilitating the development of public, commercial, or industrial facilities OR five or more dwelling units?

Yes

✓ No

Based on the response, the review is in compliance with this section.

Screen Summary

Compliance Determination

Based on the project description, this project includes no activities that would require further evaluation under the Clean Air Act. The project is in compliance with the Clean Air Act. This homeownership development project is less than five dwelling units. Please see attached EPA report: "Criteria Pollutant Nonattainment Summary Report". KMHDC serves Clay, Jackson, and Owsley Counties, and the Red Bird area of Leslie and Bell Counties. Our service area is not identified among Kentucky's Nonattainment areas.

Supporting documentation

Criteria Pollutant Nonattainment Summary Report _ Green Book _ US EPA.pdf

Are formal compliance steps or mitigation required?

Yes

✓ No

Peters-Clark-Road-Tyner-KY	Tyner, KY	900000010435342

Coastal Zone Management Act

General requirements	Legislation	Regulation
Federal assistance to applicant agencies for activities affecting any coastal use or resource is granted only when such activities are consistent with federally approved State Coastal Zone Management Act Plans.	Coastal Zone Management Act (16 USC 1451-1464), particularly section 307(c) and (d) (16 USC 1456(c) and (d))	15 CFR Part 930

This project is located in a state that does not participate in the Coastal Zone Management Program. Therefore, this project is in compliance with the Coastal Zone Management Act.

Screen Summary

Compliance Determination

This project is located in a state that does not participate in the Coastal Zone Management Program. Therefore, this project is in compliance with the Coastal Zone Management Act.

Supporting documentation

Coastal Zone Management Programs.pdf

Are formal compliance steps or mitigation required?

Yes

✓ No

Contamination and Toxic Substances

General Requirements	Legislation	Regulations
It is HUD policy that all properties that are being proposed for use in HUD programs be free of hazardous materials, contamination, toxic chemicals and gases, and radioactive substances, where a hazard could affect the health and safety of the occupants or conflict with the intended utilization of the property.		24 CFR 58.5(i)(2) 24 CFR 50.3(i)
Reference		
https://www.onecpd.info/environmental-review/site-contamination		

1. Were any on-site or nearby toxic, hazardous, or radioactive substances* (excluding radon) found that could affect the health and safety of project occupants or conflict with the intended use of the property? (Were any recognized environmental conditions or RECs identified in a Phase I ESA and confirmed in a Phase II ESA?)

Provide a map or other documentation of absence or presence of contamination** and explain evaluation of site contamination in the Screen Summary at the bottom of this screen.

No

Explain:

✓ Yes

Check here if an ASTM Phase I Environmental Site Assessment (ESA) report was utilized. [Note: HUD regulations does not require an ASTM Phase I ESA report for single family homes]

* This question covers the presence of radioactive substances excluding radon. Radon is addressed in the Radon Exempt Question.
** Utilize EPA's Enviromapper, NEPAssist, or state/tribal databases to identify nearby dumps, junk yards, landfills, hazardous waste sites, and industrial sites, including EPA National Priorities List Sites (Superfund sites), CERCLA or state-equivalent sites, RCRA Corrective Action sites with release(s) or suspected release(s) requiring clean-up action and/or further investigation. Additional supporting documentation may include other inspections and reports.

2. Evaluate the building(s) for radon. Do all buildings meet any of the exemptions* from having to consider radon in the contamination analysis listed in CPD Notice CPD-23-103?

Yes

Explain:

✓ No

* Notes:
- Buildings with no enclosed areas having ground contact.
- Buildings containing crawlspaces, utility tunnels, or parking garages would not be exempt, however buildings built on piers would be exempt, provided that there is open air between the lowest floor of the building and the ground.
- Buildings that are not residential and will not be occupied for more than 4 hours per day.
- Buildings with existing radon mitigation systems - document radon levels are below 4 pCi/L with test results dated within two years of submitting the application for HUD assistance and document the system includes an ongoing maintenance plan that includes periodic testing to ensure the system continues to meet the current EPA recommended levels. If the project does not require an application, document test results dated within two years of the date the environmental review is certified. Refer to program office guidance to ensure compliance with program requirements.
- Buildings tested within five years of the submission of application for HUD assistance: test results document indoor radon levels are below current the EPA's recommended action levels of 4.0 pCi/L. For buildings with test data older than five years, any new environmental review must include a consideration of radon using one of the methods in Section A below.

3. Is the proposed project new construction or substantial rehabilitation where testing will be conducted but cannot yet occur because building construction has not been completed?

✓ Yes

Compliance with this section is conditioned on post-construction testing being conducted, followed by mitigation, if needed. Radon test results, along with any needed mitigation plan, must be uploaded to the mitigation section within this screen.

No

7. Mitigation

Document the mitigation needed according to the requirements of the appropriate federal, state, tribal, or local oversight agency. If the adverse environmental impacts cannot be mitigated, then HUD assistance may not be used for the project at this site.

For instances where radon mitigation is required (i.e. where test results demonstrated radon levels at 4.0 pCi/L and above), then you must include a radon mitigation plan*.

Can all adverse environmental impacts be mitigated?

No, all adverse environmental impacts cannot feasibly be mitigated. Project cannot proceed at this location.

✓ Yes, all adverse environmental impacts can be eliminated through mitigation, and/or consideration of radon and radon mitigation, if needed, will occur following construction.
Provide all mitigation requirements** and documents in the Screen Summary at the bottom of this screen.

* Refer to CPD Notice CPD-23-103 for additional information on radon mitigation plans.
** Mitigation requirements include all clean-up requirements required by applicable federal, state, tribal, or local law. Additionally, please upload, as applicable, the long-term operations and maintenance plan, Remedial Action Work Plan, and other equivalent documents.

8. Describe how compliance was achieved. Include any of the following that apply: State Voluntary Clean-up Program, a No Further Action letter, use of engineering controls*, or use of institutional controls.**

The University of Kentucky Geologically Based Indoor Radon Potential map shows that the project site is in the 4.0 picocuries per liter (pCi/L) zone, therefore post-construction radon testing is required. If post-construction radon testing document levels of 4.0 pCi/L or more, mitigation measures shall be installed by a National Radon Proficiency Program (NRPP)-certified professional according to the most current version of ANSI/AARST CCAH (American National Standards Institute/American Association of Radon Scientists and Technologists CCAH Reducing Radon in New Construction of 1 & 2 Family Dwellings and Townhouses). If testing shows radon levels below 4.0 pCi/L, mitigation is not required.

If a remediation plan or clean-up program was necessary, which standard does it follow?

Complete removal

Risk-based corrective action (RBCA)

Other

* Engineering controls are any physical mechanism used to contain or stabilize contamination or ensure the effectiveness of a remedial action. Engineering controls may include, caps, covers, dikes, trenches, leachate collection systems, radon mitigation systems, signs, fences, physical access controls, ground water monitoring systems and ground water containment systems including, slurry walls and ground water pumping systems.
** Institutional controls are mechanisms used to limit human activities at or near a contaminated site, or to ensure the effectiveness of the remedial action over time, when contaminants remain at a site at levels above the applicable remediation standard which would allow for unrestricted use of the property. Institutional controls may include structure, land, and natural resource use restrictions, well restriction areas, classification exception areas, deed notices, and declarations of environmental restrictions.

Screen Summary

Compliance Determination

On-site or nearby toxic, hazardous, or radioactive substances were found that could affect the health and safety of project occupants or conflict with the intended use of the property. Radon analysis indicated elevated levels of radon or consideration of radon will occur following construction. Adverse environmental impacts can be mitigated. With mitigation, identified in the mitigation section of this review, the project will be in compliance with contamination and toxic substances requirements. Maps available were for the entire state and Jackson County (Site). The site is noted on the Jackson County Map. The legend is included and the opacity percentage is 50.

Supporting documentation

Peters- Clark Road Radon Potential(1).pdf
Peters- Clark Road Radon Potential.pdf
Geologivaly Based Indoor Radon Potential.docx
Contamaination and Toxic Substances Peters Clark Road Tyner KY.pdf

Are formal compliance steps or mitigation required?

✓ Yes

No

Endangered Species

General requirements	ESA Legislation	Regulations
Section 7 of the Endangered Species Act (ESA) mandates that federal agencies ensure that actions that they authorize, fund, or carry out shall not jeopardize the continued existence of federally listed plants and animals or result in the adverse modification or destruction of designated critical habitat. Where their actions may affect resources protected by the ESA, agencies must consult with the Fish and Wildlife Service and/or the National Marine Fisheries Service ("FWS" and "NMFS" or "the Services").	The Endangered Species Act of 1973 (16 U.S.C. 1531 *et seq*.); particularly section 7 (16 USC 1536).	50 CFR Part 402

1. Does the project involve any activities that have the potential to affect specifies or habitats?

No, the project will have No Effect due to the nature of the activities involved in the project.

✓ No, the project will have No Effect based on a letter of understanding, memorandum of agreement, programmatic agreement, or checklist provided by local HUD office

Explain your determination:

This activity is governed by the 2023 - 2028 Categorical Consultation Agreement between Kentucky Housing Corporation and the Kentucky Field Office of the U.S. Fish and Wildlife Service for Certain HUD-Funded Projects. The covered activity is funding for construction of scattered-site homes, provided that the construction occurs on a "prepared homesite" which is a site that has been cleared of natural vegetation and filled and graded in the normal course of preparation for housing construction prior to and independent of a HUD-funded activity.

Based on the response, the review is in compliance with this section. Document and upload all documents used to make your determination below.

Yes, the activities involved in the project have the potential to affect species and/or habitats.

Screen Summary

Compliance Determination

This project will have No Effect on listed species based on a letter of understanding, memorandum of agreement, programmatic agreement, or checklist provided by local HUD office. This project is in compliance with the Endangered Species Act. This activity is governed by the 2023 - 2028 Categorical Consultation Agreement between Kentucky Housing Corporation and the Kentucky Field Office of the U.S. Fish and Wildlife Service for Certain HUD-Funded Projects. The covered activity is funding for construction of scattered-site homes, provided that the construction occurs on a "prepared homesite" which is a site that has been cleared of natural vegetation and filled and graded in the normal course of preparation for housing construction prior to and independent of a HUD-funded activity.

Supporting documentation

Peters- Clark Road 1000 Feet Radius Ariel.pdf
Plat of Survey.pdf
Plat Map.pdf
Endangered Species Questions.pdf
2023-2028 USFWS-KHC Categorical Consultation Agreement for HUD-Funded Projects.pdf
Pics.pdf

Are formal compliance steps or mitigation required?

Yes

✓ No

Explosive and Flammable Hazards

General requirements	Legislation	Regulation
HUD-assisted projects must meet Acceptable Separation Distance (ASD) requirements to protect them from explosive and flammable hazards.	N/A	24 CFR Part 51 Subpart C

1. Is the proposed HUD-assisted project itself the development of a hazardous facility (a facility that mainly stores, handles or processes flammable or combustible chemicals such as bulk fuel storage facilities and refineries)?

✓ No

Yes

2. Does this project include any of the following activities: development, construction, rehabilitation that will increase residential densities, or conversion?

No

✓ Yes

3. Within 1 mile of the project site, are there any current or planned stationary aboveground storage containers that are covered by 24 CFR 51C? Containers that are NOT covered under the regulation include:

- **Containers 100 gallons or less in capacity, containing common liquid industrial fuels OR**
- **Containers of liquified petroleum gas (LPG) or propane with a water volume capacity of 1,000 gallons or less that meet the requirements of the 2017 or later version of National Fire Protection Association (NFPA) Code 58.**

If all containers within the search area fit the above criteria, answer "No." For any other type of aboveground storage container within the search area that holds one of the flammable or explosive materials listed in Appendix I of 24 CFR part 51 subpart C, answer "Yes."

✓ No

Based on the response, the review is in compliance with this section. Document and upload all documents used to make your determination below.

Peters-Clark-Road-Tyner-KY	Tyner, KY	900000010435342

Yes

Screen Summary

Compliance Determination

There are no current or planned stationary aboveground storage containers of concern within 1 mile of the project site. The project is in compliance with explosive and flammable hazard requirements. There are several storage containers within a 1 mile radius of the project site almost all propane tanks. No propane tanks of a 1,000 gallon water volume were noted.. One item appears to be a tank from a an old piece of equipment and is empty and is no longer used. There is a gas pump kept on a property but is not hooked to a tank and is empty and disabled. (Antique collection). There are no planned stationary storage containers within 1 mile of the project site. The project is in compliance with explosive an flammable hazard requirements. Physically inspected tanks mentioned and spoke with owners. 2/3/25 Close ups of adjoining area to one mile radius included as requested. No problem tanks noted. View of general area did not indicate any industrial type tanks within view.

Supporting documentation

Clark Peters Road Tyner KY search for above ground tanks outside 1 mile radius.pdf
Clark Peters Road Tyner ky outside 1 mile Radius for Above Ground Tanks.pdf
Clark Peters Road Tyner KY Just outside 1 mile radus for above ground tanks(1).pdf
Clark Peters Road Tyner KY Just outside 1 mile radus for above ground tanks.pdf
Clark peters Road Jackson County Water Association outside 1 mile radus no tanks noted.pdf
Clark Peters Road Close Up for above ground tanks outside 1 mile Radius.pdf
Clark Peters Road close up for above ground tanks just outside 1 mile radius.pdf
1080-1071 Gas Pump.pdf
1080 KY-1071 Unknown Sprayer Tank.pdf
Peters- Clark Road One Mile Radius.pdf

Are formal compliance steps or mitigation required?

Yes

✓ No

Farmlands Protection

General requirements	Legislation	Regulation
The Farmland Protection Policy Act (FPPA) discourages federal activities that would convert farmland to nonagricultural purposes.	Farmland Protection Policy Act of 1981 (7 U.S.C. 4201 et seq.)	7 CFR Part 658

1. Does your project include any activities, including new construction, acquisition of undeveloped land or conversion, that could convert agricultural land to a non-agricultural use?

✓ Yes

No

2. Does your project meet one of the following exemptions?

- Construction limited to on-farm structures needed for farm operations.
- Construction limited to new minor secondary (accessory) structures such as a garage or storage shed
- Project on land already in or committed to urban development or used for water storage. (7 CFR 658.2(a))

Yes

✓ No

3. Does "important farmland," including prime farmland, unique farmland, or farmland of statewide or local importance regulated under the Farmland Protection Policy Act, occur on the project site?

- Utilize USDA Natural Resources Conservation Service's (NRCS) Web Soil Survey http://websoilsurvey.nrcs.usda.gov/app/HomePage.htm
- Check with your city or county's planning department and ask them to document if the project is on land regulated by the FPPA (zoning important farmland as non-agricultural does not exempt it from FPPA requirements)
- Contact NRCS at the local USDA service center http://offices.sc.egov.usda.gov/locator/app?agency=nrcs or your NRCS state soil scientist https://www.nrcs.usda.gov/wps/portal/nrcs/main/national/contact/states/ for assistance

✓ No

Based on the response, the review is in compliance with this section. Document and upload all documents used to make your determination below.

Yes

Screen Summary

Compliance Determination

The project includes activities that could convert agricultural land to a non-agricultural use, but "prime farmland","unique farmland", or "farmland of statewide or local importance" regulated under the Farmland Protection Policy Act does not occur on the project site. The project is in compliance with the Farmland Protection Policy Act. The lot is located in an area already used for single family homes. The lot has been used in the past for hay and straw harvesting but is not prime farmland. See attached documents.

Supporting documentation

Peters-Clark-Road-Tyner-KY Farmland Classification.pdf

Are formal compliance steps or mitigation required?

Yes

✓ No

Floodplain Management

General Requirements	Legislation	Regulation
Executive Order 11988, Floodplain Management, requires Federal activities to avoid impacts to floodplains and to avoid direct and indirect support of floodplain development to the extent practicable.	Executive Order 11988 * Executive Order 13690 * 42 USC 4001-4128 * 42 USC 5154a * only applies to screen 2047 and not 2046	24 CFR 55

1. Does this project meet an exemption at 24 CFR 55.12 from compliance with HUD's floodplain management regulations in Part 55?

Yes

(a) HUD-assisted activities described in 24 CFR 58.34 and 58.35(b).

(b) HUD-assisted activities described in 24 CFR 50.19, except as otherwise indicated in § 50.19.

(c) The approval of financial assistance for restoring and preserving the natural and beneficial functions and values of floodplains and wetlands, including through acquisition of such floodplain and wetland property, where a permanent covenant or comparable restriction is place on the property's continued use for flood control, wetland projection, open space, or park land, but only if:
(1) The property is cleared of all existing buildings and walled structures; and
(2) The property is cleared of related improvements except those which:
(i) Are directly related to flood control, wetland protection, open space, or park land (including playgrounds and recreation areas);
(ii) Do not modify existing wetland areas or involve fill, paving, or other ground disturbance beyond minimal trails or paths; and
(iii) Are designed to be compatible with the beneficial floodplain or wetland function of the property.

(d) An action involving a repossession, receivership, foreclosure, or similar acquisition of property to protect or enforce HUD's financial interests under previously approved loans, grants, mortgage insurance, or other HUD assistance.

(e) Policy-level actions described at 24 CFR 50.16 that do not involve site-based decisions.

(f) A minor amendment to a previously approved action with no additional adverse impact on or from a floodplain or wetland.

(g) HUD's or the responsible entity's approval of a project site, an incidental portion of which is situated in the FFRMS floodplain (not including the floodway, LiMWA, or coastal high hazard area) but only if: (1) The proposed project site does not include any existing or proposed buildings or improvements that modify or occupy the FFRMS floodplain except de minimis improvements such as recreation areas and trails; and (2) the proposed project will not result in any new construction in or modifications of a wetland .

(h) Issuance or use of Housing Vouchers, or other forms of rental subsidy where HUD, the awarding community, or the public housing agency that administers the contract awards rental subsidies that are not project-based (i.e., do not involve site-specific subsidies).

(i) Special projects directed to the removal of material and architectural barriers that restrict the mobility of and accessibility to elderly and persons with disabilities.

Describe:

✓ No

2. Does the project include a Critical Action? Examples of Critical Actions include projects involving hospitals, fire and police stations, nursing homes, hazardous chemical storage, storage of valuable records, and utility plants.

Yes

Describe:

✓ No

3. Determine the extent of the FFRMS floodplain and provide mapping documentation in support of that determination

The extent of the FFRMS floodplain can be determined using a Climate Informed Science Approach (CISA), 0.2 percent flood approach (0.2 PFA), or freeboard value approach (FVA). For projects in areas without available CISA data or without FEMA Flood Insurance Rate Maps (FIRMs), Flood Insurance Studies (FISs) or Advisory Base Flood Elevations (ABFEs), use the best available information[1] to determine flood elevation. Include documentation and an explanation of why this is the best available information[2] for the site. Note that newly constructed and substantially improved[3] structures must be elevated to the FFRMS floodplain regardless of the approach chosen to determine the floodplain.

Select one of the following three options:

CISA for non-critical actions. If using a local tool , data, or resources, ensure that the FFRMS elevation is higher than would have been determined using the 0.2 PFA or the FVA.

0.2-PFA. Where FEMA has defined the 0.2-percent-annual-chance floodplain, the FFRMS floodplain is the area that FEMA has designated as within the 0.2-percent-annual-chance floodplain.

✓ FVA. If neither CISA nor 0.2-PFA is available, for non-critical actions, the FFRMS floodplain is the area that results from adding two feet to the base flood elevation as established by the effective FIRM or FIS or — if available — a FEMA-provided preliminary or pending FIRM or FIS or advisory base flood elevations, whether regulatory or informational in nature. However, an interim or preliminary FEMA map cannot be used if it is lower than the current FIRM or FIS.

[1] Sources which merit investigation include the files and studies of other federal agencies, such as the U. S. Army Corps of Engineers, the Tennessee Valley Authority, the Soil Conservation Service and the U. S. Geological Survey. These agencies have prepared flood hazard studies for several thousand localities and, through their technical assistance programs, hydrologic studies, soil surveys, and other investigations have collected or developed other floodplain information for numerous sites and areas. States and communities are also sources of information on past flood 'experiences within their boundaries and are particularly knowledgeable about areas subject to high-risk flood hazards such as alluvial fans, high velocity flows, mudflows and mudslides, ice jams, subsidence and liquefaction.

[2] If you are using best available information, select the FVA option below and provide supporting documentation in the screen summary. Contact your local environmental officer with additional compliance questions.

[3] Substantial improvement means any repair or improvement of a structure which costs at least 50 percent of the market value of the structure before repair or improvement or results in an increase of more than 20 percent of the number of dwelling units. The full definition can be found at 24 CFR 55.2(b)(12).

5. Does your project occur in the FFRMS floodplain?

Yes

✓ No

Screen Summary

Compliance Determination

This project does not occur in the FFRMS floodplain. The project is in compliance with Executive Orders 11988 and 13690.

Supporting documentation

Peters-Clark-Road- Tyner-KY_ Floodplain Management.pdf

Are formal compliance steps or mitigation required?

Yes

✓ No

Historic Preservation

General requirements	Legislation	Regulation
Regulations under Section 106 of the National Historic Preservation Act (NHPA) require a consultative process to identify historic properties, assess project impacts on them, and avoid, minimize, or mitigate adverse effects	Section 106 of the National Historic Preservation Act (16 U.S.C. 470f)	36 CFR 800 "Protection of Historic Properties" https://www.govinfo.gov/content/pkg/CFR-2012-title36-vol3/pdf/CFR-2012-title36-vol3-part800.pdf

Threshold

Is Section 106 review required for your project?

No, because the project consists solely of activities listed as exempt in a Programmatic Agreement (PA). (See the PA Database to find applicable PAs.)
No, because the project consists solely of activities included in a No Potential to Cause Effects memo or other determination [36 CFR 800.3(a)(1)].
✓ Yes, because the project includes activities with potential to cause effects (direct or indirect).

Step 1 – Initiate Consultation

Select all consulting parties below (check all that apply):

✓ State Historic Preservation Offer (SHPO) Completed

✓ Advisory Council on Historic Preservation Completed

✓ Indian Tribes, including Tribal Historic Preservation Officers (THPOs) or Native Hawaiian Organizations (NHOs)

✓ Cherokee Nation Response Period Elapsed

Peters-Clark-Road-Tyner-KY	Tyner, KY	900000010435342

✓ Eastern Band of Cherokee Indians — Response Period Elapsed

✓ Osage Nation — Response Period Elapsed

Other Consulting Parties

Describe the process of selecting consulting parties and initiating consultation here:

Kentucky Mountain Housing Dev Corp Inc. initiated consultation with Kentucky Heritage Council (SHPO) who responded by letter on October 2, 2023. Kentucky Housing Corporation invited the Eastern Band of Cherokee Indians to become consulting parties on the 106 review of this project party in letters sent via email on November 13, 2024.

Document and upload all correspondence, notices and notes (including comments and objections received below).

Was the Section 106 Lender Delegation Memo used for Section 106 consultation?

Yes
No

Step 2 – Identify and Evaluate Historic Properties

1. **Define the Area of Potential Effect (APE), either by entering the address(es) or uploading a map depicting the APE below:**

   Clark Road Tyner< KY

   In the chart below, list historic properties identified and evaluated in the APE. Every historic property that may be affected by the project should be included in the chart.

   Upload the documentation (survey forms, Register nominations, concurrence(s) and/or objection(s), notes, and photos) that justify your National Register Status determination below.

Address / Location / District	National Register Status	SHPO Concurrence	Sensitive Information

   Additional Notes:

   No response received by any party within 30 days.

2. **Was a survey of historic buildings and/or archeological sites done as part of the**

project?

Yes

✓ No

Step 3 –Assess Effects of the Project on Historic Properties

Only properties that are listed on or eligible for the National Register of Historic Places receive further consideration under Section 106. Assess the effect(s) of the project by applying the Criteria of Adverse Effect. (36 CFR 800.5)] Consider direct and indirect effects as applicable as per guidance on direct and indirect effects.

Choose one of the findings below - No Historic Properties Affected, No Adverse Effect, or Adverse Effect; and seek concurrence from consulting parties.

No Historic Properties Affected

✓ No Adverse Effect

Based on the response, the review is in compliance with this section.
Document reason for finding:

No response from any invited consulting party.

Does the No Adverse Effect finding contain conditions?

Yes (check all that apply)

✓ No

Based on the response, the review is in compliance with this section. Document and upload concurrence(s) or objection(s) below.

Adverse Effect

Screen Summary

Compliance Determination

Based on Section 106 consultation the project will have No Adverse Effect on historic properties. Conditions: None. Upon satisfactory implementation of the conditions, which should be monitored, the project is in compliance with Section 106.

Supporting documentation

FNL_Tribal_Memo_Tyner.pdf
Complete SHPO_merged.pdf
SHPO Approval.pdf

Are formal compliance steps or mitigation required?

Yes

✓ No

Noise Abatement and Control

General requirements	Legislation	Regulation
HUD's noise regulations protect residential properties from excessive noise exposure. HUD encourages mitigation as appropriate.	Noise Control Act of 1972 General Services Administration Federal Management Circular 75-2: "Compatible Land Uses at Federal Airfields"	Title 24 CFR 51 Subpart B

1. What activities does your project involve? Check all that apply:

✓ New construction for residential use

NOTE: HUD assistance to new construction projects is generally prohibited if they are located in an Unacceptable zone, and HUD discourages assistance for new construction projects in Normally Unacceptable zones. See 24 CFR 51.101(a)(3) for further details.

Rehabilitation of an existing residential property

A research demonstration project which does not result in new construction or reconstruction

An interstate land sales registration

Any timely emergency assistance under disaster assistance provision or appropriations which are provided to save lives, protect property, protect public health and safety, remove debris and wreckage, or assistance that has the effect of restoring facilities substantially as they existed prior to the disaster
None of the above

4**. Complete the Preliminary Screening to identify potential noise generators in the vicinity (1000' from a major road, 3000' from a railroad, or 15 miles from an airport).**

Indicate the findings of the Preliminary Screening below:

✓ There are no noise generators found within the threshold distances above.

Based on the response, the review is in compliance with this section. Document and upload a map showing the location of the project relative to any noise generators below.

Noise generators were found within the threshold distances.

Screen Summary

Compliance Determination

The Preliminary Screening identified no noise generators in the vicinity of the project. The project is in compliance with HUD's Noise regulation. The project is 20 miles from both the nearest airport and nearest railroad. The only public roads within a 1000 foot radius with Road Data is KY 1071. There is no available road data for Ray Clark Hill Road or Blackwater Road. There are no stop signs within 600' See attached documents.

Supporting documentation

Clark Peters Road Tyner KY Other noise information.pdf
Peters Clark Road Nearest stop sign to site.pdf
Day Night Noise Level (DNL) Calculator.pdf
Peters-Clark most recent 1071 Road Data.pdf
Peters Clary Historic KYTC Traffic Count Reporting System Stat 055258.pdf
Peters- Clark Road 1000 Feet Radius.pdf
Peters-Clark-Road-Tyner-KY Distance to Nearest Railroad.pdf
Peters-Clark-Road-Tyner-KY Distance to nearest airport.pdf

Are formal compliance steps or mitigation required?

Yes

✓ No

Sole Source Aquifers

General requirements	Legislation	Regulation
The Safe Drinking Water Act of 1974 protects drinking water systems which are the sole or principal drinking water source for an area and which, if contaminated, would create a significant hazard to public health.	Safe Drinking Water Act of 1974 (42 U.S.C. 201, 300f et seq., and 21 U.S.C. 349)	40 CFR Part 149

1. Does the project consist solely of acquisition, leasing, or rehabilitation of an existing building(s)?

Yes

✓ No

2. Is the project located on a sole source aquifer (SSA)?

A sole source aquifer is defined as an aquifer that supplies at least 50 percent of the drinking water consumed in the area overlying the aquifer. This includes streamflow source areas, which are upstream areas of losing streams that flow into the recharge area.

< No

✓

Based on the response, the review is in compliance with this section. Document and upload documentation used to make your determination, such as a map of your project (or jurisdiction, if appropriate) in relation to the nearest SSA and its source area, below.

Yes

3. Does your region have a memorandum of understanding (MOU) or other working agreement with Environmental Protection Agency (EPA) for HUD projects impacting a sole source aquifer?

Yes

Peters-Clark-Road-Tyner-KY	Tyner, KY	900000010435342

No

Screen Summary

Compliance Determination

The project is not located on a sole source aquifer area. The project is in compliance with Sole Source Aquifer requirements. There are no Sole Source Aquifers in the State of Kentucky (see attached documents)

Supporting documentation

Peters-Clark-Road-Tyner-KY Sole Source Aquifers.pdf

Are formal compliance steps or mitigation required?

Yes

✓ No

Wetlands Protection

General requirements	Legislation	Regulation
Executive Order 11990 discourages direct or indirect support of new construction impacting wetlands wherever there is a practicable alternative. The Fish and Wildlife Service's National Wetlands Inventory can be used as a primary screening tool, but observed or known wetlands not indicated on NWI maps must also be processed Off-site impacts that result in draining, impounding, or destroying wetlands must also be processed.	Executive Order 11990	24 CFR 55.20 can be used for general guidance regarding the 8 Step Process.

1. Does this project involve new construction as defined in Executive Order 11990, expansion of a building's footprint, or ground disturbance? The term "new construction" shall include draining, dredging, channelizing, filling, diking, impounding, and related activities and any structures or facilities begun or authorized after the effective date of the Order

No

✓ Yes

2. Will the new construction or other ground disturbance impact an on- or off-site wetland? The term "wetlands" means those areas that are inundated by surface or ground water with a frequency sufficient to support, and under normal circumstances does or would support, a prevalence of vegetative or aquatic life that requires saturated or seasonally saturated soil conditions for growth and reproduction. Wetlands generally include swamps, marshes, bogs, and similar areas such as sloughs, potholes, wet meadows, river overflows, mud flats, and natural ponds.

"Wetlands under E.O. 11990 include isolated and non-jurisdictional wetlands."

✓ No, a wetland will not be impacted in terms of E.O. 11990's definition of new construction.

Based on the response, the review is in compliance with this section. Document and upload a map or any other relevant documentation below which explains your determination

Yes, there is a wetland that be impacted in terms of E.O. 11990's definition of new construction.

Screen Summary

Compliance Determination

The project will not impact on- or off-site wetlands. The project is in compliance with Executive Order 11990. The nearest noted wetland is a riverine approximately ..19 miles from the proposed site. The site will not impact the riverine. (See attached document(s))

Supporting documentation

Distance to nearest National Wetlands Inventory.pdf

Are formal compliance steps or mitigation required?

Yes

✓ No

Wild and Scenic Rivers Act

General requirements	Legislation	Regulation
The Wild and Scenic Rivers Act provides federal protection for certain free-flowing, wild, scenic and recreational rivers designated as components or potential components of the National Wild and Scenic Rivers System (NWSRS) from the effects of construction or development.	The Wild and Scenic Rivers Act (16 U.S.C. 1271-1287), particularly section 7(b) and (c) (16 U.S.C. 1278(b) and (c))	36 CFR Part 297

1. Is your project within proximity of a NWSRS river?

✓ No

Yes, the project is in proximity of a Designated Wild and Scenic River or Study Wild and Scenic River.
Yes, the project is in proximity of a Nationwide Rivers Inventory (NRI) River.

Screen Summary
Compliance Determination
This project is not within proximity of a NWSRS river. The project is in compliance with the Wild and Scenic Rivers Act. There is only one Wild & Scenic River in Kentucky; 19.4 miles of the Red River in Wolfe County. Per the attached map, our project site is more than 30 miles from the nearest portion of this Wild & Scenic River.

Supporting documentation

Distance to Red River Orgin.pdf
Wild Rivers - Red River in Kentucky (3).pdf
NWSRS Website_Red River KY.pdf

Are formal compliance steps or mitigation required?
Yes

✓ No

Environmental Justice

General requirements	Legislation	Regulation
Determine if the project creates adverse environmental impacts upon a low-income or minority community. If it does, engage the community in meaningful participation about mitigating the impacts or move the project.	Executive Order 12898	

HUD strongly encourages starting the Environmental Justice analysis only after all other laws and authorities, including Environmental Assessment factors if necessary, have been completed.

1. Were any adverse environmental impacts identified in any other compliance review portion of this project's total environmental review?

Yes

✓ No

Based on the response, the review is in compliance with this section.

Screen Summary

Compliance Determination

No adverse environmental impacts were identified in the project's total environmental review. The project is in compliance with Executive Order 12898.

Supporting documentation

Are formal compliance steps or mitigation required?

Yes

✓ No